



COLLECTION 2025-2026

Smart Toilet

Hello, new friend !



There is more than one definition of life

THE TOUCH OF LUXXURY

SINCE 2014

Enjoying Expensive and
Beautiful thing is very
comfortable and
pleasurable.

High Definition Frameless Display



SMART INNOVATION FOR SMARTER BATHROOM



Innovative Designs

Modern products that fit today's needs.

Quality Assurance

Always top-notch quality in everything we make.

Eco-Conscious Production

We care about the environment and use green methods.

Long-Term Vision

Creating lasting and reliable solutions.

Customer-First Approach

Your satisfaction is our top priority.

Transparent Practices

We believe in being clear and honest with you.

Environmentally Friendly

Our products help keep the planet green.

User-Friendly and Hygienic

Easy to use and clean for everyone.

LUXXOR PRODUCT OFFERING



Easy To Clean

Our products have smooth surfaces that are easy to clean, with no hidden crevices where bacteria can hide. Spend less time cleaning and more time enjoying your bathroom.

Anti Bacterial

Built-in antibacterial properties keep your bathroom cleaner and more hygienic by preventing bacteria growth.

Soft Close

Enjoy the luxury of lids that close softly and quietly, reducing noise and adding elegance to your bathroom.

60% Water Saver

Save water with our technology that reduces water usage by up to 60% compared to traditional models. Experience powerful flushing while being environmentally responsible.

LUXXOR EXCLUSIVE SERVICES



10-Year Ceramic Warranty

Ensuring long-lasting durability for all ceramic products.

2-Year Free Plumber Service

Specifically for flushing parts in one-piece toilets.

1-Year Warranty for QQ Hinges of Seat Cover

Guaranteeing peace of mind for seat cover hinges.

Piece-to-Piece Replacement Policy

If product have major manufacturing defects that cannot be repaired they will be replaced.

REMOTE CONTROL

FULL CONTROL AT YOUR FINGER TIPS

ICONS



EASY TO CLEAN



RIMLESS



ANTI-BACTERIAL




SOFT CLOSE



WATER SAVING



DUAL FLUSH



NOZZLE POSITION



STOP



LOW BATTERY



FRONTAL WASH



REAR WASH




DRYING



WATER TEMPERATURE




AIR TEMPERATURE





FEMALE



KIDS






JARVIS - INTELLIGENT TOILET




KEY FEATURES





680 X 460 X 550 MM S Trap
300 MM Flush: Rimless, Siphonic


FUNCTION DESCRIPTION

Bidet <u>W</u> ashing	Rear <u>W</u> ashing	Warm Wind <u>D</u> rying	Adjustable <u>D</u> rying Temp.
Adjustable <u>W</u> ater Temp.	Adjustable <u>S</u> eat Temp.	Soft Night <u>L</u> ight	Seat Ring <u>H</u> eating
Self-Cleaning <u>N</u> ozzle	Adjustable <u>N</u> ozzle Position	Electrical Leakage <u>P</u> rotection	Power Saving <u>M</u> ode
Remote <u>C</u> ontrol	LED <u>D</u> isplay	C-Type: Auto <u>O</u> pen/Close Cover	<u>W</u> ith Filter Water Ambient Light
One-Key <u>K</u> nob	Zero-Water Pressure (<u>P</u> lastic Tank)	Power Off Flush/ <u>S</u> torage Battery	






EASTER - INTELLIGENT TOILET




620 X 550X 580 MM S Trap
300 MM Flush: Rimless, Siphonic

KEY FEATURES



FUNCTION DESCRIPTION

Bidet Washing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable Water Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning Nozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote Control	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key Knob	Zero-Water Pressure (Plastic Tank)	Power Off Flush/ Storage Battery	Ambient Light



MAVERICK - INTELLIGENT TOILET



KEY FEATURES



620 X 580 X 550 MM S Trap
300 MM Flush: Rimless, Siphonic

FUNCTION DESCRIPTION


Bidet Washing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable Water Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning Nozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote Control	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key Knob	Zero-Water Pressure (Plastic Tank)	Power Off Flush/Storage Battery	Ambient Light

LUXE - INTELLIGENT TOILET



620 X 460 X 450 MM
S Trap 300 MM Flush:
Rimless, Siphonic

KEY FEATURES



FUNCTION DESCRIPTION


Bidet Washing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable Water Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning Nozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote Control	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key Knob	Zero-Water Pressure (Plastic Tank)	Power Off Flush/ Storage Battery	Ambient Light



ASTRA - SMART TOILET



KEY FEATURES



660 X 410 X 510 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION


Bidet Washing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable Water Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning Nozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote Control	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key Knob	Zero-Water Pressure (Plastic Tank)	Power Off Flush/Storage Battery	



BLAZE - SMART TOILET



KEY FEATURES



680 X 390 X 460 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION

Bidet Washing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable Water Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning Nozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote Control	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key <u>Knob</u>	Zero-Water Pressure (Plastic Tank)	Power Off Flush/ Storage Battery	



FRANKIN - SMART TOILET



KEY FEATURES



680 X 390 X 440 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION


Bidet <u>W</u> ashing	Rear Washing	Warm Wind Drying	Adjustable Drying Temp.
Adjustable <u>W</u> ater Temp.	Adjustable Seat Temp.	Soft Night Light	Seat Ring Heating
Self-Cleaning <u>N</u> ozzle	Adjustable Nozzle Position	Electrical Leakage Protection	Power Saving Mode
Remote <u>C</u> ontrol	LED Display	C-Type: Auto Open/Close Cover	With Filter Water
One-Key <u>K</u> nob	Zero-Water Pressure (Plastic Tank)	Power Off Flush/ Storage Battery	



DERIX - SMART TOILET



KEY FEATURES



670 X 440 X 430 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION


Bidet <u>W</u> ashing	Rear <u>W</u> ashing	Warm Wind <u>D</u> rying	Adjustable <u>D</u> rying Temp.
Adjustable <u>W</u> ater Temp.	Adjustable <u>S</u> eat Temp.	Soft Night <u>L</u> ight	Seat Ring <u>H</u> eating
Self-Cleaning <u>N</u> ozzle	Adjustable <u>N</u> ozzle Position	Electrical Leakage <u>P</u> rotection	Power Saving <u>M</u> ode
Remote <u>C</u> ontrol	LED <u>D</u> isplay	C-Type: Auto <u>O</u> pen/Close Cover	With Filter <u>W</u> ater
One-Key <u>K</u> nob	Zero-Water Pressure (<u>P</u> lastic Tank)	Power Off Flush/ <u>S</u> torage Battery	



CRAFTY – SMART TOILET



KEY FEATURES



680 X 410 X 440 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION


Bidet <u>W</u> ashing	Rear <u>W</u> ashing	Warm Wind <u>D</u> rying	Adjustable <u>D</u> rying Temp.
Adjustable <u>W</u> ater Temp.	Adjustable <u>S</u> eat Temp.	Soft Night <u>L</u> ight	Seat Ring <u>H</u> eating
Self-Cleaning <u>N</u> ozzle	Adjustable <u>N</u> ozzle Position	Electrical Leakage <u>P</u> rotection	Power Saving <u>M</u> ode
Remote <u>C</u> ontrol	LED <u>D</u> isplay	C-Type: Auto <u>O</u> pen/Close Cover	With Filter <u>W</u> ater
One-Key <u>K</u> nob	Zero-Water Pressure (<u>P</u> lastic Tank)	Power Off Flush/ <u>S</u> torage Battery	



CANNY - SMART TOILET



KEY FEATURES




680 X 440 X 430 MM
S Trap 300 MM
Flush: Rimless, Siphonic

FUNCTION DESCRIPTION

Bidet <u>W</u> ashing	Rear <u>W</u> ashing	Warm Wind <u>D</u> rying	Adjustable <u>D</u> rying Temp.
Adjustable <u>W</u> ater Temp.	Adjustable <u>S</u> eat Temp.	Soft Night <u>L</u> ight	Seat Ring <u>H</u> eating
Self-Cleaning <u>N</u> ozzle	Adjustable <u>N</u> ozzle Position	Electrical Leakage <u>P</u> rotection	Power Saving <u>M</u> ode
Remote <u>C</u> ontrol	LED <u>D</u> isplay	C-Type: Auto <u>O</u> pen/Close Cover	With Filter <u>W</u> ater
One-Key <u>K</u> nob	Zero-Water Pressure (<u>P</u> lastic Tank)	Power Off Flush/ <u>S</u> torage Battery	

A GUIDE TO USE THIS BOOKLET



PRODUCT SPECIFICATIONS

We carefully check our product specifications, but occasionally errors can occur, therefore we reserve the right to change without notice. Some variations between picture and product may occur. Some products listed may be non-stock items.

DISCLAIMER

Although the information in this booklet is presented in good faith and believed to be correct at the time of printing, LUXXOR makes no representations or warranties as to the completeness or accuracy of the information. LUXXOR has no liability for any errors or omissions in the materials. LUXXOR reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice. Persons receiving this information will make their own determination as to its suitability for their own purposes prior to use. In no event will LUXXOR be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information from this booklet or the products to which the information refers. All weights and measures shown are best approximations. Possession of our literatures does not constitute an offer to sell.

Note: Colours printed may differ from the original colors of ceramics. For proper selection, refer to actual samples or shade board .
Continuous innovation and improvement in manufacturing techniques and products are carded out regularly. We reserve the right to supply articles that may not correspond exactly with the particulars given in this booklet.

TECHNICAL DETAILS - DIMENSIONS

When ordering products from this booklet, please advise your plumber of the correct sizing to ensure accurate installation.



Luxxorabk Bathware Pvt.Ltd.

Showroom - Plot No. 21 MR-1 In Front of Indusind Bank
Mahalakshmi Nagar Indore M.P. 452010

Corporate office (India) - Sovereign Corporate Tower
A 143, Sec-13, Noida Expressway, Noida ,UP,231304,IND.

Corporate Office (Norway) - Hornslivegen 21,Enger,2866, Norway.

www.luxxorabkindia.com
For More Enquiry - +91-7471142747